

84876

Chemistry of Unsaturated Ethers. V. Acetals S/079/60/030/010/016/030
of Vinyl Acetaldehyde. A New Method of B001/B066
Synthesizing 1-Alkoxy-dienes-1,3

of croton aldehyde shows an absorption band characteristic of a substituted vinyl group (Ref. 9). When passing acetal vapors of vinyl acetaldehyde in vacuo at 350°C over the acid catalyst MgHPO₄, 1-alkoxy-butadiene-1,3 (VII) resulted (Scheme 5). With maleic aldehyde, the 1-alkoxy-dienes-1,3 gave the adducts (VIII). Their hydrolysis (Scheme 6) yields crystalline alkoxy-tetrahydronaphthalic acids (IX). There are 12 references: 9 Soviet, 2 US, and 1 Japanese.

ASSOCIATION: Moskovskiy institut tonkoy khimicheskoy tekhnologii ✓
(Moscow Institute of Fine Chemical Technology)

SUBMITTED: December 7, 1959

Card 3/3

KRUPTSOV, B. K.

Cand Chem Sci - (diss) "Synthesis and transformations of simple vinyl and diene esters." Moscow, 1961. 15 pp; (Academy of Sciences USSR, Inst of Organic Chemistry imeni N. D. Zelinskiy); 200 copies; price not given; (KL, 6-61 sup, 198)

MAKIN, S.M.; KRUPTSOV, B.K.

Chemistry of unsaturated ethers. Part 5: Acetals of vinylacetaldehyde.
New method of synthesizing 1-alkoxy-1, 3-dienes. Zhur. ob. khim. 30
no.10;3276-3280 0 '61. (MIRA 14:4)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii.
(Ethers) (Acetaldehyde)

MAKIN, S.M.; KRUPTSOV, B.K.

Chemistry of unsaturated ethers. Part 12: Structural orientation
of diene condensations of 1-alkoxydienes with asymmetrical
dienophyils. Zhur.ob.khim. 32 no.8:2521-2527 Ag '62.
(MIRA 15:9)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii imeni
M.V. Lomonosova.
(Butadiene) (Ethers)

MAKIN, S.M.; KRUPTSOV, B.K.; MEDVEDEVA, V.M.; SMIRNOVA, L.N.

Chemistry of unsaturated ethers. Part 13: Reaction of acetalization of 1,1,3-trialkoxyalkanes and the synthesis of 1-alkoxy-1,3-dienes with heavy alkoxy groups. Ultraviolet spectra and Raman spectra of 1-alkoxy-1,3-dienes. Zhur. ob. khim. 32 no.8:2527-2535 Ag '62.
(MIRA 15:9)

1. Moskovskiy institut toksicheskoy tekhnologii imeni M.V. Lomonosova.

(Butadiene—Spectra) (Alkoxy groups)

KANTSEVA, A.J., MIZYURKIN, L.A., KENCHEN, KH.YE., PAVLICHENOV, A.Y.,
ARSHALAN, S.M., KRUPINSOV, B.K.

Experimental data about the production of phthalic anhydride by oxidation of o-xylol

Report to be submitted for the 12th Conference on high molecular weight compounds
devoted to monomers, Baku, 3-7 April 62

FUFGOV, V.V.; KRUBUNOV, G.P.

Addition of diphosphorous acid anilide to Schiff bases. Zhur.
ob. khim. 35 no.8:1502-1503 Ag '65. (MIRA 18:8)

1. Kazanskiy gosudarstvennyy universitet.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

AL'PARIN, P.M., doktor med.nauk; ANSHEVITS, M.Ya.; GUREVICH, I.B.; KRUPYANKO,
V.Ye.; MELNIKOVA, O.P.; RODINA, R.I. (Moskva)

Compound treatment of suppurative diseases of the lungs. Vrach.delo
no.12:1343 D '57. (MIRA 11:2)

1. Tsentral'nyy ordena Lenina Institut hematologii i perelivaniya
krovi. (LUNGS--DISEASES)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

~~KHURYANKO, V. Ya.~~

Effect of blood transfusion on renal function and plasma flow in anemias [with summary in English, p.62]. Probl.gemat. i perel. krovi 4 no.2:46-49 F '59. (MIRA 12:2)

1. Iz TSentral'nogo ordena Lenina instituta hematologii i pereli-vaniya krovi (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A. Bag-dasarov) Ministerstva zdravookhraneniya SSSR.

(ANEMIA, ther. blood transfusion, eff. of homologous blood on renal funct. (Rus))

(BLOOD TRANSFUSION, in var. dis. anemia, eff. of homologous blood on renal funct. (Rus))

(KIDNEY, physiol eff. of transfusion of homologous blood in ther. of anemia (Rus))

AL'PERIN, P.M., prof.; ANSHEVITS, M.Ya.; GUREVICH, I.B.; KRUPYANKO, V.Ye.;
MELEKHOVA, O.P.; RODINA, R.I.

Treating bronchiectasis and abscess of the lungs with antibiotics
in combination with hemotherapy. Sov.med. 24 no.9:51-56 8 '60.
(MIRA 13:11)

1. Iz Tsentral'nogo ordena Lenina instituta hematologii i pereli-
vaniya krovi (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A.
Bagdasarov) Ministerstva zdravookhraneniya SSSR.
(BRONCHIECTASIS) (LUNGS—ABSCESS) (ANTIBIOTICS)
(BLOOD—TRANSFUSION)

BAGDASAROV, A.A., prof. [deceased]; AL'PERIN, P.M., prof.; KLUPYANCO,
V.Ye.; POLUSHINA, T.V. (Moskva)

Use of polyglucin in the treatment of edema. Klin.med. no.1:
91-94 '62. (MIRA 15:1)

1. Iz TSentral'nogo ordena Lenina instituta hematologii i pereli-
vaniya krovi (dir. - deystvitel'nyy chlen AMN SSSR prof. A.A.
Bagdasarov [deceased]).
(DEXTRAN) (EDEMA)

KRUPYANSKAYA, V.Yu.

"Some aspects of the mode of life of workers of the Chiatura manganese industry." A.I.Robakidze. Reviewed by V.IU.Krupianskaya. Sov.stn. no.3:160-162 '54. (MLRA 7:11)
(Chiatura--Labor and laboring classes) (Labor and laboring classes--Chiatura) (Robakidze, A.I.)

KRUPYANSKAYA, V. Yu.
AUTHOR: Krupyanskaya, V. Yu., Candidate of Philological Sciences 30-2-27/49

TITLE: Scientific Connections Between Ethnographers of the Soviet Union and of Czechoslovakia (Nauchnyye svyazi mezhdu etnografami Sovetskogo Soyuza i Chechoslovaki)

PERIODICAL: Vestnik Akademii Nauk SSSR, 1958, Nr 2, p. 92.
(USSR)

ABSTRACT: Soviet scientists took part in conferences dealing with the way of life of the workers which were called by the Czechoslovakian and Slovakian Academy of Science. The Czechoslovakian specialists for problems of the way of life of the worker K. Foytik and O. Skal'nikova visited the scientific conferences of the Institute for Ethnography of the AN USSR. K. Foytik, O. Syrovatka, O. Skal'nikova, V. Korbusitskiy and Ya. Iyekh investigated several industrial areas of the country and compiled monographs on this field. The author had been invited to attend a meeting of the Slovakian Academy of Science at the end of 1957. A number of general questions were investigated: the application of the method of enquete in monographic research, the way of

Card 1/2

Scientific Connections Between
Union and of Czechoslovakia

Ethnographers of the Soviet

30-2-27/49

investigating the intellectual life of the population and
the coordination of work. The author in particular underlines
the here applied method of parallel folkloristic and
ethnographic investigations.

AVAILABLE: Library of Congress

1. Ethnology-Czechoslovakia
2. Ethnology-USSR
3. Economic conditions-Czechoslovakia

Card 2/2

KRUPYANSKAYA, V. YU. POTAPOV, L. P. TERENTIEVA, L. I.

"PROBLEMES ESSENTIELS DE L'ETUDE ETHNIGRAPHIQUE DES PEUPLES DE L'URESS"

report presented
at The Sixth International Congress on Anthropological and Ethnological
Sciences, Paris 31 July-7 August 1960.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUPYANSKIY, F.

Yu

Organizatsiya i planirovaniye pochtovoy svyazi (Organization and planning of postal communications by) A. A. Vishnevskiy i F. Yu Krupyanckiy Moscow, Cvyazizdat, 1952. 458 p. diagrs., tables.

N/5
753.1
.V8

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

SOLOVEYCHIK, L.M.; GENIN, L.S.; KRUPYANSKIY, F.Yu.; RAZOOVOROV,
A.V.; TRAUBENBERG, I.A.; RUBINA, P.M., otv. red.; KUZ'MINA,
R.A., red.

[Principles of the methodology of planning future needs
in general usage service] Osnovy metodologii perspektivnogo
planirovaniia potrebnosti v sviazi obshchego pol'zovaniia;
informatsionnyi sbornik. Moskva, Sviaz', 1964. 77 p.
(MIRA 17:12)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

VISHNEVSKIY, Aleksandr Appolinar'yevich, doktor ekon. nauk, prof.;
KRUPYANSKIY, Fedor Yur'yevich, kand. ekon. nauk, dots.;
PAPINAKO, I.G., red.

[Organization and planning of postal communications] Organiza-
zatsiya i planirovanie pochтовoi sviazi. Moskva, Izd-vo
"Sviaz", 1964. 328 p. (MIRA 17:8)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

KRUPYANSKIY, Fedor Yur'yevich; VISHNIVSKIY, A.A., redaktor; ANDREYENKO, Z.D.,
redaktor; KHLINOVSKAYA, L.M., tekhnicheskij redaktor

[Labor productivity in communication] Proizvoditel'nost' truda v
khoziaistve aviazi. Moskva, Gos.izd-vo lit-ry po voprosam sviazi
i radio, 1954. 34 p. [Microfilm] (MLRA 9:3)
(Communication and traffic) (Labor productivity)

KRUPYANSKII, P.Yu.; VLASOV, M.A., otvetstvennyy redaktor; SIDOROVA, T.S.,
redaktor; BERESLAVSKAYA, L.Sh., tekhnicheskii redaktor.

[Labor productivity in communications and ways of increasing it]
Proizvoditel'nost' truda v khoziaistve sviazi i piti ee povysheniia.
Moskva, Gos.isd-vo lit-ry po voprosam sviazi i radio, 1957. 67 p.
(MLRA 10:4)

(Labor productivity) (Telecommunication)

KRUPYSHEV, G.N.

PA - 3111

AUTHOR: ZHEZHERIN, R.P., KRUPYSHEV, G.N., MARTYNOV, A.M. (Leningrad)
TITLE: A Parametric Generator.
PERIODICAL: (Parametricheskiy generator. Russian).
Elektrichestvo. 1957, Nr 5, pp 69 - 71 (U.S.S.R.)
Received: 6 / 1957

Reviewed: 7 / 1957

ABSTRACT: The parametric 3PG generator finds its practical application as a power supply source for radio technical and other installations with an output from several dozen to several hundred watts. It is an A.C. machine whose ferromagnetic rotor exhibits its own cogged form and which has no windings. The 3PG generator forms its own group of machines. The selfregulation of the generator is investigated and then the working characteristics. The greatest interest for the practical application of the 3PG is its use as a single phase current source with raised frequency in connection with an effective load. The peculiarity of the 3PG with a given torrional moment is that by reducing the effective load P_2 hardly changes its speed at all. The output consumed by the generator, however, appears in itself as loss. The 3PG is very simple in its construction which guarantees its dependability in action. It is practical to use the generator under a work laod as a current source of less output (10 - 200 W) with a raised frequency of 400 to 2000 Cycles. A valuable attribute of this generator is the possibility of its application in connec-

Card 1/2

PA - 3111

A Parametric Generator.

tion with hard to regulate systems. In these cases the 3PG generator makes it possible to maintain a sufficiently stable voltage by modifying the load from zero to a nominal value. (with 6 illustrations).

ASSOCIATION: Not given

PRESENTED BY:

SUBMITTED: 29.10.1956

AVAILABLE: Library of Congress

Card 2/2

SOV/110-59-2-2/21

AUTHORS: Zhezherin, R.P., Candidate of Technical Sciences, and
Krupyshev, G.N., Engineer

TITLE: A Machine Type High-Frequency Generator with Excitation Circuits (Elektromashinnyy generator vysokoy chastoty s vozbuzhdayushchimi konturami)

PERIODICAL: Vestnik Elektroprerymyshlennosti, 1959, Nr 2, pp 4-8 (USSR)

ABSTRACT: Valve type generators for frequencies of 10 - 30 kc/s and above are very bulky and are difficult to operate on variable loads. There is accordingly great need of machine type generators for such frequencies. The authors have found a new way of increasing the frequency developed by a machine without altering the number of poles on the rotor. With the new generator it is possible to obtain frequency twice as high as from machines of the normal inductor type. This article describes the construction and operating principles of the generator and gives experimental test data. The aim of the tests was not to obtain the highest possible frequency but only to verify the principle of the machine. The machine is illustrated schematically in Fig 1; it has a toothed rotor like that of reactive or inductor machines. On the

Card 1/5

SOV/110-59-2-2/21

A Machine Type High-Frequency Generator with Excitation Circuits
stator there are teeth which form ridges displaced from one another by an angle of $\pi/2$. So far the generator construction is similar to that of a two-phase inductor machine. Three types of winding are located in the stator slots between the ridges, a control winding with direct current, a two-phase a.c. excitation winding with frequency f_2 and a single phase generated current winding of frequency f_4 . It is explained that $f_4 = 2f_2$. To save space the control and excitation winding can be combined, and this is the circuit illustrated in Fig 2. The operating principles of the generator are as follows: The d.c. in the control winding sets up a magnetic field between the stator and rotor, the distribution of which depends on the position of the rotor teeth. As the rotor turns there is periodic redistribution of this flux between the stator teeth and so e.m.f.'s are induced in the windings just as in a two-phase inductor machine. The connections to each phase are brought out separately, each phase is connected to a capacitor and, therefore, capacitative currents of frequency f_2 flow in the excitation coils. The magnetic reaction field set up by

Card 2/5

SOV/110-59-2-2/21

A Machine Type High-Frequency Generator with Excitation Circuits

the capacitative currents is the excitation field for e.m.f.'s of frequency f_4 that are set up in each of the stator coils. The excitation windings are so connected that the sum of the f_4 frequency currents in them is zero, but in the working windings the e.m.f.'s of frequency f_4 are added together and those of frequency f_2 subtracted. The load is supplied at a frequency f_4 and is connected to the generator terminals through a series capacitor as in Fig 2c or through a parallel capacitor as in Fig 2b. Tests were made on an experimental machine, the main dimensions of which are given. The profiles of the stator and rotor stampings are shown in Fig 3. Design details of the windings are given. The way in which the no-load characteristic is affected by the value of the capacitance in the excitation circuit is demonstrated graphically in Fig 4. The shape of these curves is discussed. Short circuit curves with various values of capacitance in the excitation circuit are given in Fig 5. The relationship between the operating voltage and the control current is given in Fig 6, with one value of capacitance and several values of active load. If

Card 3/5

SOV/110-59-2-2/21

A Machine Type High-Frequency Generator with Excitation Circuits
the load is too heavy, particularly if it is inductive,
the machine may fail to excite. The behaviour of the
generator on purely capacitative loads is explained with
reference to Fig 7. Figs 8 and 9 show regulation
characteristics for two different values of capacitance
when the load beyond the series capacitor is pure resis-
tance. The effect of voltage on the regulation character-
istics is illustrated by the graphs of Fig 10. The
external characteristics of the generator are shown in
Fig 11 for three types of load, and in Fig 12 for active
load in the circuit with series capacitor and without it
for two values of control current. The generator has
good amplifying properties combined with low time
constants of all the circuits. The oscillogram given in
Fig 13 shows the speed at which the output voltage of the
generator falls when the control winding is short
circuited. The reactive output of the phase capacitors

Card 4/5

NOTE
The last
CARDS, from SD-75
on A.S. X, from TRUPSKY
sequence. ~~are out~~
Omit the

YUGOSLAVIA

Radevan KRUKIC and Nedeljka SAVIC-DANCIĆ, Dermatovenerologic Clinic of the Military Medical Academy (Dermatovenerološka klinika Vojno-medicinaške akademije) Head (Upravnik) Col Prof Dr Miladin GILIC; and Dermatovenerologic Clinic of the Medical Faculty of the University (Medičinski fakultet Univerziteta) Head Prof Dr Sima ILIC, Belgrade.

"Some Frequent Photodermatoses."

Belgrade, Srpski Arhiv za Celokupno Lekarstvo, Vol 90, No 11, Nov 62; pp. 1071-1077.

Abstract [German summary modified]: Review of overexposure (phototoxic) and hypersensitivity (Photodynamic) dermatoses, with 3 brief case reports ("morbus pratensis," Phenergan photosensitivity, and solar urticaria.) Seven Western references.

1/1

KRUKIEREK, KAZIMIERZ.

Bezpieczenstwo i ochrona pracy w Kopalnictwie naftowym. (Wyd. 1.)
Stalinogrod, Wydawn. Gorniczo-Hutnicze, 1955. 34p. (Biblioteczka
naftowca, t. 15) (Labor protection and safety in well boring.
1st ed. illus.)

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3,
March 1956

KRUKIEREK, S.

Prevention of pelvic dystocia. Polski tygod.lek. 5 no.27-28:1059-
1063 10 July 50. (GML 20:5)

1. Of the Obstetric-Gynecological Clinic (Director--Prof. Adam
Czyzewicz, M.D.) of Warsaw Medical Academy.

KRUKEK, S.

Sex characteristics of the human pelvis. Polski tygod. lek. 54:33-34:
1208-1217 21 Aug 50. (CIML 20:6)

1. Of the Obstetrical and Female Diseases Clinic of the Warsaw
Medical Academy (Director--Prof. Adam Czyzewicz, M.D.) and of the
Institute of Statistical Mathematics of the Main Agricultural
School in Warsaw (Director--Prof. Wacław Pytkowski, M.D.).

KRUKIEREK, S.

Effect of social environment on development of the female pelvis.
Polski tygod.lak. 5 no.46:1608-1612 13 Nov 50. (CLML 20:5)

1. Of the Clinic of Obstetrics and Female Diseases (Director --
Prof. Adam Czyzewicz, M.D.) of Warsaw Medical Academy.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKIEWICZ, Ryszard, inz.; ZIELINSKI, Stefan, mgr inz.

Influence of the roasting of Leczyca ore on its crushability.
Wiad hut 19 no. 6: 145-148 Je '63.

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKIYER, A.D., inzh.

Heating of the release pins of high-pressure cylinders. Energetik.
13 no.9:20-21 S '65. (MIRA 16:9)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

KEL'MAN, A.A., kandidat meditsinskikh nauk [deceased]; KRUKIYER, M.D.
(L'vov)

Antitoxic function of the liver in cancer of the cervix uteri during radiotherapy. Klin.med. 33 no.4:85 Ap '55. (MLRA 8:7)

1. Is L'vovskogo oblastnogo onkologicheskogo dispensera (glavnyy vrach - kandidat meditsinskikh nauk A.A.Kel'man)
(ROENTGEN RAYS, effects,
on liver funct., in ther. of cancer of cervix)
(CERVIX, UTERINE, neoplasms,
ther., x-rays, liver funct. in)
(LIVER FUNCTION TESTS, in various diseases,
cancer of cervix, in x-ray ther.)

KRIKLANDE, N. YA.

KRIKLANDE, N. YA.- "Dynamics of the Soil Microflora in the Process of Decomposition of Plowed-under Layer of Perennial Grass." Min of Higher Education USSR, Leningrad Agricultural Inst, Leningrad, 1955 (Dissertations For the Degree of Candidate of Biological Sciences)

SO; Knizhnaya Letopis' No. 26, June 1955, Moscow

KRUKLE, M. (Riga); Yaunputnin', A. [Jaunputnins,A.] (Riga)

Age of certain buried peats in the Daugava valley. Vestis Latv ak
no.9:119-124 '59. (EEAI 9:10)

1. Akademiya nauk Latviyskoy SSR, Institut geologii i poleznykh
iskopayemykh.
(Latvia--Peat)

KRUKLE, M.; STELLE, V.; VEYNBERGS, I. [Veinbergs, I.]

Interstadial sediments at the Burzava railroad station in
the Latgale upland. Izv. AN Latv. SSR no.5:77-84 '63.
(MIRA 17:1)

1. Institut geologii AN Latviyskoy SSR.

KRUKLE, M.; LUSINA, L.; STELLE, V.

Interglacial sediments in the Lubana Lowlands. Vestis Latv ak
no.4:77-85 '62.

1. Latvijas PSR Zinatnu akademijas Geologijas instituts.

KRUUKONIS, V. T.

Min Higher Education USSR. Moscow Order of Lenin Power Engineering Inst imeni V. M. Molotov.

KRUUKONIS, V. T.: "The reconstruction of systems of regulations and oil supply of the AP-50 and VK-100 turbines and some problems of hydraulic connections." Min Higher Education USSR. Moscow Order of Lenin Power Engineering Inst imeni V. M. Molotov. Moscow, 1956.
(Dissertation for the Degree of Candidate in Technical Sciences)

SO: Knizhnaya Letopis, No. 20, 1956.

BASOV, Nikolay Gennadiyevich; KRUKOV; ZUYEV, V. S.

"Increase of Power of Pulsed Ruby Optical Quantum Generator
by Modulation of Resonator Quality Factor"

Paper presented at Optical Society of America Meeting, Washington, D. C.
14-17 March 62

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKOV, L.N.

Artificial propagation of *Burrus semperflorens* L. by cuttings. Bot. Zhur.
37, No.1, 65-66 '52. (MIRA 5:1)
(Biol. A 28 no.3:6871 '54)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

1. Yu. B. KRUKOV, A. N. BAKKIREV
2. USSR (600)
4. Catalysts
7. Method for studying iron catalysts for synthesizing hydrocarbons from carbon monoxide and hydrogen. Trudy Inst. nafti. 1954.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

USSR / General Problems of Pathology. Immunity.

U

Abs Jour: Ref Zhur-Biol., No 9, 1958, 41859.

Author : Krukova, I. N.

Inst : Not given.

Title : Acquired Immunity to Heterogenous Serum in Rats.

Orig Pub: Bul. eksperim. biol i meditsiny. 1957, 43, No 4,
78-79.

Abstract: Rat embryos, in the 17-18th day of development were injected intramuscularly or subcutaneously with 0.03-0.04 ml of horse serum (HS). In two to two and one half months after their birth, 11 experimental and 9 control rats were immunized intraabdominally to HS. Lowering of the precipitation titer, as compared with controls, was observed in the offspring 2 and 3 of the operated rats within 7 days following the end of the immunization; in 1 small rat complete tolerance to HS was noted. -- A. S. Shevelev.

Card 1/1

KRUKOVA, I. N. (USSR)

'The Rous sarcoma virus in the mammalian organism."

report submitted for the European Conference on Tumor Biology (ETCC),
Warsaw, Poland
22-27 May 1961

Krukova, I. N.-Inst. of Experimental and Clinical Oncology, A.M.S. Meshchanskaya
61/2, Moskva

EXCERPTA MEDICA Sec 16 Vol 7/5 Cancer May 59

1500 Serological differentiation of Rous sarcoma and normal tissue extracts (Russian text) ZILBER L. A., KUKOVAL N., NARZESOV N. V. and BEERUFEENA T. I. *Zapr. Onkol.* 1958, 4/3 (268-270)

0.05 to 1 ml. of the centrifuged extract of normal chick muscle obtained by crushing in physiological saline in the ratio 1:3 was introduced into the embryos of pregnant rats on the 16th to 19th days of the pregnancy. After birth the newborn rats were given 0.1 ml. of the same extract s.c. Eight 2.5-month-old rats treated in this way were immunized i.p. with the cell-free extract of Rous sarcoma in the ratio of 1:5. The immunization was performed 5 times in doses of 1, 2, 2, 3 and 3 ml. Similar immunization was also applied to control animals which had received no normal tissue extract during the embryonal period. The immunized animals were bled 17 and 40 days after the last immunization, and in the sera the complement-fixation

1564

tests, with filtrated extracts from normal chick muscle and sarcoma, were carried out. It was found that the sera of rats with an acquired tolerance displayed in half of the cases pronounced differentiating properties in the presence of extracts from normal and sarcoma tissues, regardless of whether the antigen from the normal tissue had been taken in double amount or not. The sera of 4 control animals gave high titres in complement-fixation tests, but showed no differentiating effect in the presence of Rous sarcoma and normal tissue extracts. Six other rats with acquired tolerance were administered additionally, at the age of 6 months, 2.5 ml. of Rous sarcoma extract i.p. It was found that the sera of most rats retained their differentiating properties. It is thus possible to make sera reacting selectively with a neoplastic, virus-containing tissue. The same results were obtained in the author's experiments on human neoplasms.

Albert - Wroclaw

DUBOVIK, A.I.; KIDDOVER, I.M., professor, zaveduyushchiy.

Foreign body in the larynx retained during 10 days. Vest.oto-rin. 15 no.3:
87 Ky-Je '53. (MLRA 6:8)

1. Klinika bolezney ucha, gorla i nosa Irkutskogo meditsinskogo inntituta.
(Larynx--Foreign bodies)

MISHARIN, A.P.; FILENIUS, V.A.; TEREKHOVA, A.L.; GROTSKIY, M.R.; GOLENYAK, L.L.;
KRUKOVER, I.M., professor, direktor.

Remote results of the intra-tonsillar method of therapy in chronic tonsillitis
and atrophic rhinopharyngolaryngitis. Vest.oto-rin. 15 no.5:48-52 S-O '53.
(MLRA 6:11)

1. Klinika bolezney ukha, gorla i nosa Irkutskogo meditsinskogo instituta.
(Tonsils--Diseases) (Larynx--Diseases)

REF ID: A6027799
ACCESSION NO. AP6027799

EMP(m)/EMP(u)/EMP(t)/ETI IJP(c) JD/HM
SOURCE CODE: UR/0126/66/022/001/0144/0147

AUTHOR: Krukover, P. I.; Buravikhin, V. A.

38

ORG: Irkutsk Pedagogical Institute (Irkutskiy pedinstitut)

TITLE: Mechanical properties of thin polycrystalline films of iron, nickel and permalloy

SOURCE: Fizika metallov i metallovedeniya, v. 22, no. 1, 1966, 144-147

TOPIC TAGS: polycrystalline film, permalloy, iron, nickel, Young modulus, tensile strength

ABSTRACT: Considering that thin films of Fe, Ni and their alloys find broad applications in modern microelectronics and computer engineering, an investigation of their mechanical properties and primarily of elastic deformation and Young's modulus would be of major interest. Accordingly, the authors measured the tensile strength, elastic limit and Young's modulus of free films of Fe and Ni and permalloy (20% Fe-80% Ni) 180 to 2500 Å thick, obtained by evaporating the original pure metals and the 20% Fe-80% Ni alloy in a vacuum of the order of $\sim 10^{-5}$ mm Hg at the rate of $\sim 500 \text{ \AA min}^{-1}$ on polished glass substrates coated with NaCl. The film thickness was determined optically with the aid of lines of equal chromatic order. Tensile strength was determined as a function of the radius of the buckled part of the thin film, the

Card 1/2

UDC: 539.216.2:539.4

L 09021-67

ACC NR: AP6027799

O

thickness of the film and the pressure difference above the upper and below the lower surfaces of the film. Findings: at substrate temperatures T_g of up to 300°C the highest tensile strength (130 kg-mm⁻²) is displayed by Ni films obtained at $T_g = 220^\circ\text{C}$; such a tensile strength is about 4.5 times as high as the tensile strength of annealed Ni. A similar pattern was observed for Fe and permalloy films. Young's modulus, as determined from stress-strain curves for films from 200 to 2500 Å thick amounts to 22,000-24,000 kg-mm², i.e. it is 10-15% higher than for annealed Ni. The reputed decrease in the strength of thin films with increase in their thickness from 200 to 2500 Å could not be confirmed, apparently owing to the non-uniform thickness of the films. On maintenance of the films in stressed state (under a stress close to elastic limit) for 2 hr no creep was observed. Orig. art. has: 3 figures, 1 table.

SUB CODE: 20, 11/ SUBM DATE: 25Aug65/ ORIG REF: 004/ OTH REF: 004

CC: 1/2 not

KRUKOVETS, F1.

PHASE I BOOK EXPLOITATION

SOV/4682

Averbukh, Solomon Khononovich, Il'ya Aronovich Kneller, and Faina Isaakovna Kruckovets

Industrial'nyye pomekhi televideniyu i metody ikh podavleniya (Industrial Interferences to Television and Methods for Their Suppression) Moscow, Svyaz'izdat, 1960. 66 p. 20,000 copies printed.

Resp. Ed.: A.Ya. Breytbart; Tech. Ed.: G.I. Shefer; Ed.: L.I. Vengrenyuk.

PURPOSE: This booklet is intended for radio amateurs and persons concerned with the problems of noise immunity.

COVERAGE: The booklet contains the fundamentals on industrial radio interferences to television reception and on methods of eliminating them. N.N Fetter and Ya.I. Azbel', scientific workers of the Tsentr tekhnicheskogo radiokontrola (TsTRK) (Technical Radio-Control Center), wrote the chapter on measuring equipment and detection of interference sources. The authors thank for their assistance V.P. Pevnitskiy, A.Ya. Breytbart and A.P. Shchetinin. There are no references.

TABLE OF CONTENTS:

Card 1/3

KNELLER, Il'ya Aronovich; KRUKOVSKIY, Pyotr Ivanovich, editor;
Natal'ya Nikolayevna; "IZDANIE", Moscow, 1965.

[industrial interference on television screens] Industrial'nye pomakhi na ekranakh televizorov. Moscow, Sviaz', 1965. 67 p. (Biblioteka "Televideniya i priem," no. 20) (MFA 12:11)

KWELLER, Il'ya Aronovich; KNUKOVETS, Faina Isaakovna; FETTER, Natal'ya Nikolayevna; LIBERZON, L.G. red.; SLUSHKIN, A.A., tekhn. red.

[Industrial interference on the screens of television receivers]
Industrial'nye pomekh na ekranakh televizorov. Moskva, Sviaz'-izdat, 1962. 65 p. (Biblioteka "Televiziornyyi priem," No.4)
(MIRA 15:10)

(Television--Interference)

KNELLER, Il'ya Aronovich; KRUKOVETS, Faina Isaakovna; FETTER, Natal'ya
Nikolayevna; LIBERZON, L.G., red.; SLUTSKIN, A.A., tekhn.
red.

[Industrial interference on television screens] Industrial'-
nye pomekhi na ekranakh televizorov. Izd.2., Moskva, Sviaz'-
izdat, 1963. 67 p. (Biblioteka "Televizionnyi priem," no.7)
(MIRA 16:6)

(Television--Interference)

PALIUSCINSKAJA, N.; KRUKOVSKAJA, I.; GORIUNOVA, N.

Observations on the course of labor in patients with rheumatic heart disease. Sveik. apsaug. 8 no.11:17-22 '63.

1. Respublikine Vilniaus klinine ligonine. Vyr. gydytojas -
V. Zygas, reumatologijos skyriaus vedeja - G. Stasiulionyte,
akuserijos-ginekologijos skyriaus vedejas - A. Strupas.
(LABOR) (RHEUMATIC HEART DISEASE)
(PREGNANCY COMPL., CARDIOVASCULAR)

PALIUSCINSKAJA, N.; PTASEKAS, R.; KRUKOVSKAJA, I.; GORIUNOVA, N.

Clinico-anatomical analysis of mortality of pregnant women
with rheumatic heart disease. Sveik. Apsaug. no.4:10-14 '64.

1. Lietuvos respublikine Vilniaus klinine ligonine (Vyr. gydytojas -
V. Zygas). TSRS MMA Lietuvos eksperimentinės medicinos institutas.
(Direktore - E. Karosiene).

BRAUN, M. P., doktor tekhn. nauk; KRUKOVSKAYA, G. I., inzh.

Convertible temper brittleness in chromium-silicon-manganese
steel castings. Mashinostroenie no. 5:54-57 S-0 '62.
(MIRA 16:1)

1. Institut liteynogo preizvedstva AN UkrSSR.

(Steel castings)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

BRAUN, M.P.; KRUKOVSKAYA, G.N.

Regularities of adsorption in metals and alloys. Struk.i svjais.
lit.splav. no.1:82-94 '62. (MIRA 15:5)
(Dislocations in metals) (Adsorption)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

BRAUN, Mikhail Petrovich; VINOKUR, Bertol'd Bentzionovich; CHERNYY,
Viktor Gavrilovich; CHERNOVOL, Arkadiy Vasil'yevich; KOSTYRKO,
Oleg Stepanovich; ALEKSANDROVA, Natal'ya Pavlovna; KRUKOVSKAYA,
Galina Nikolayevna, TIKHONOVSKAYA, Larisa Dmitriyevna; LYASHENKO,
Lyudmila Aleksandrovna; FIKSEN, N.V., kand. tekhn. nauk, otv.
red.; POKROVSKAYA, Z.S., red.; KADASHEVICH, O.A., tekhn. red.

[Alloys with addition elements] Legirovannye splavy. [By] M.P.
Braun i dr. Kiev, Izd-vo AN Ukr.SSR, 1963. 142 p.

(MIRA 16:8)

(Alloys--Metallurgy)
(Foundries--Equipment and supplies)

ACC NR: AP7000593

(A)

SOURCE CODE: UR/0129/66/000/011/0021/0022

AUTHOR: Braun, M. P.; Krukovskaya, G. N.

ORG: Institute of Casting Problems (Institut problem lit'ya)

TITLE: Temper brittleness of cast steel

SOURCE: Metallovedeniye i termicheskaya obrabotka metallov, no. 11, 1966, 21-22

TOPIC TAGS: cast steel, steel tempering, ~~temper~~ brittleness, temper brittleness prevention/25KhGSL steel

ABSTRACT: The effect of cooling conditions after tempering on the temper brittleness of 25KhGSL cast steel has been studied. Steel specimens of various heats (0.28 to 0.30% C, 1.04—1.14% Cr, 0.91%—1.16% Mn, and 1.03—1.24% Si) were annealed at 910°C, tempered at 660°C, and cooled in air, in a furnace at a rate of 180°C or 10°C per hour, or were cooled in potassium nitrate heated to 380°C and then in a furnace at a rate of 180°C per hour. It was found that, depending steel composition, the room-temperature notch toughness of specimens cooled in water is 3.6—5.5 kgm/cm², and of those cooled in stages is 3.3—5.1 kgm/cm². The NDT temperature gradually decreases with an increase in cooling rate: -35°C in specimens cooled in water and -15°C in specimens cooled in stages. Alloying 25KhGSL steel with 0.4% and 0.7% W increases the notch toughness by 20—25% and decreases the NDT temperature to -65 to -70°C. The complete prevention of reversible temper brittleness in cast chromansil-type

Card 1/2

UDC: 669.14.018:298.539.36

ACC NR: AP7000593

steel susceptible to reversible temper brittleness can be achieved only by combining additional alloying with cooling in stages. Orig. art. has: 1 figure and 2 tables.

SUB CODE://13/ SUBM DATE: none/ ORIG REF: 003/ OTH REF: 002/

Card 2/2

KRUKOVSKAYA, G.N.; MARKOVSKIY, V.V.

Study of the distribution of phosphorus during the development
of reversible temper brittleness in steel 25KhGSN. Zav. lab.
30 no.4:464-465 '64. (MIRA 1714)

1. Institut litaynogo proizvodstva.

BAUERSHTEIN, Yu. I.; EBUKOVSKAYA, G.Ye.

Use of paper chromatography for characterizing and identifying
actinophages. Mikrobiologiya 33 no.5:904-912 S-0 '64.
(MIRA 18:3)

1. Institut mikrobiologii AN SSSR.

KRUKOVSKAYA, V. F.

Krukovskaya, V. F. -- "Clinical X-Ray Investigation of So-Called Light Athletic Wounds." State Order of Lenin and Order of Labor Ed Ban-ner Inst of Physical Culture imeni P. F. Lesgaft. Chair of Therapeutic Physical Culture and Medical Control. Leningrad, 1956.
(Dissertation for the Degree of Candidate in Medical Science)

See: Knizhnaya Letopis', No 11, 1956

KRUKOVSKAYA, V.F.

~~Fractures of the spinous and transverse processes of the spine
in athletes caused by indirect strain. Vest. rent. i rad.
32 no.1:33-37 supplement '57~~ (MIRA 10:5)

1. Iz rentgenologicheskogo otdeleniya Leningradskogo nauchno-
issledovatel'skogo instituta travmatologii i ortopedii.
(SPINE, fract.
spinous & transverse processes)

KRUKOVSKAYA, YE. L.

"Physicochemical Analysis of the CrF₃ - RbF - H₂O and CrF₃ - CsF - H₂O Systems at 25 Degrees Centigrado." Min. Higher Education USSR, Central Asiatic State U imeni V. I. Lenin, Tashkent, 1955. (Dissertation for the Degree of Candidate of Chemical Sciences)

SO: Knizhnaya Letopis', No. 22, 1955, pp 93-105

5.2200 (E)

5.4210

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 7, p 60 (USSR)

80320

SOV/81-59-7-22501

AUTHORS: Talipov, Sh.T., Kruckovskaya, Ye.L.

TITLE: The Study of the Solubility of "CrF₃-RbF-H₂O" and "CrF₃-CsF-H₂O" Systems (25°C)

PERIODICAL: Tr. Sredneaz. un-ta, 1958, Nr 84, pp 3 - 22

ABSTRACT: The following values of solubility were determined at 25°C (in %, in parentheses the composition of the solid phase): CrF₃ 3.39 (CrF₃ · 3H₂O), RbF 74.3 (RbF · H₂O), CsF 83.7 (CsF · H₂O). In the CrF₃-RbF-H₂O system at 25°C and a RbF concentration of 4-40%, 2RbF · CrF₃ · H₂O (I) is the equilibrium bottom phase. At a RbF concentration of > 40% equilibrium is established extremely slowly; the composition of the bottom phase approaches I in proportion to an increase in the holding time. In the CrF₃-CsF-H₂O system at 25°C, 2CsF · CrF₃ · H₂O (II) (at a CsF concentration of 13 - 58%) and 3CsF · CrF₃ (III) (at a CsF concentration of 58 - 83%) are the equilibrium phases. ✓

Card 1/2

80320

SOV/81-59-7-22501

The Study of the Solubility of "CrF₃-RbF-H₂O" and "CrF₃-CsF-H₂O" Systems (25°C)

of 58 - 70%) were found; the eutonics of II - III contains 58.50% CsF and 0.16% CrF₃. In the region of high CrF₃ concentrations, oversaturation is observed, in both systems, which is maintained for a long time. The synthesis of I, II and III was described.

I. Ryss

Card 2/2

TALIPOV, Sh.T.; KRUKOVSKAYA, Ye.L.; RASULEVA, Sh.

Solubility of cerium (III) oxalate in solutions of iron (III),
aluminum, and uranyl nitrates at 25. Uzb.khim.zhur. no.2:18-24 '61.
(MIRA 14:10)

1. Tashkentskiy gosudarstvennyy universitet imeni V.I.Lenina.
(Cerium oxalate) (Solubility) (Cations)

SOSNINA, A.M.; KHUKOVSKAYA, Ye.N.

Some peculiarities of the clinical and roentgenological course of
pneumonia in small children. Pediatriliia 39 no.1:79 Ja-F '56.
(PNEUMONIA) (MIRA 10:1)
(LUNGS--RADIOGRAPHY)

73-3-12/24

AUTHOR: Moshchinskaya, N. K. and Krukovskaya, Z. E.

TITLE: Investigations in the Diaryl methane Series and Their Derivatives. 5. Synthesis of Phenylnaphthylmethanes by Condensing Formaldehyde with Benzene and Naphthalene. (Issledovaniya v Ryadu Diarilmethanov i ikh Proizvodnykh 5. Sintez Fenilnaftilmethanov Kondensatsiyey Formal'degida s Benzolom i Naftalinom).

PERIODICAL: Ukrainskiy Khimicheskiy Zhurnal, 1957, Vol. 23, No.3, pp. 353-357 (USSR).

ABSTRACT: Phenylnaphthylmethanes were prepared in mixtures with diphenylmethane and dinaphthylmethane by condensing formaldehyde with benzene and naphthalene in the presence of sulphuric acid. The three compounds could be separated easily (by fractional distillation). This experiment was first carried out in 1948-1949 (Ref. 10). The authors have investigated the quantitative synthesis of the compound as well as the isomerisation of phenylnaphthylmethanes by using catalysts. The solidification points of mixtures of isomeric phenylnaphthylmethanes in relation to their structure was determined as well as the isomeric structure of phenylnaphthylmethanes which are formed when using various synthesis methods. The investigations Card 1/2 proved also that zinc chloride and sulphuric acid do not

73-3-12/24

Investigations in the Diarylmethane Series and Their Derivatives.
5. Synthesis of Phenylnaphthylmethanes by Condensing Formaldehyde
With Benzene and Naphthalene.

cause the isomerisation of either α - or β -phenylnaphthyl-methane. However, in the presence of aluminium chloride the isomers are alkylated and naphthaline, a mixture of isomeric phenylnaphthylmethanes (containing a larger amount of the β - component) and 2,6-dibenzylnaphthaline as well as other condensation products are formed.

Grabowski's (Ref. 14) synthesis was used for preparing 1,1'-diphenylmethane but the method was modified slightly in order to achieve higher yields. A quantity of 1,2'-dinaphthylmethane was also obtained. Experimental details of the various methods of synthesis and the isomerisation of phenylnaphthylmethanes are given. A table gives the percentage composition of the isomeric mixture, a second table the dependence of the isomeric structure of phenylnaphthylmethane on the synthesis method and on the catalyst. There are 2 tables and 17 references, 10 of which are Slavic.

SUBMITTED: November, 9, 1956.
AVAILABLE: Library of Congress.
Card 272

S/073/60/026/005/018/019
B004/B063

AUTHORS: Moshchinskaya, N. K., Krukovskaya, Z. E.

TITLE: Composition of Mixtures of Tolyl-naphthyl Methane Isomers
Obtained by Different Methods

PERIODICAL: Ukrainskiy khimicheskiy zhurnal, 1960, Vol. 26, No. 5,
pp. 674 - 675

TEXT: The preceding paper (Ref.1) describes the synthesis of p-tolyl- α -naphthyl methane by: a) condensation of a mixture of toluene and naphthalene with formaldehyde; b) condensation of α -chloromethyl naphthalene with toluene. The present paper describes another method, c): condensation of a mixture of chloromethyl toluene isomers with naphthalene at 100 - 110°C in the presence of $ZnCl_2$. Furthermore, p-tolyl- α -naphthyl methane and the new compound o-tolyl- α -naphthyl methane were separated from the mixtures obtained by the three methods. This was achieved by crystallization of the picrates. The two compounds obtained were identified from infrared spectra. Method b) gives 65% p-isomer and 22% o-isomer, whereas methods a) and c)

Card 1/2

Composition of Mixtures of Tolyl-naphthyl
Methane Isomers Obtained by Different
Methods

S/073/60/026/005/018/019
B004/B063

give 50% p-isomer and 23% o-isomer. The β -naphthyl derivatives could not
be isolated. There are 2 Soviet references.

ASSOCIATION: Dnepropetrovskiy khimiko-tehnologicheskiy institut
(Dnepropetrovsk Institute of Chemical Technology)

SUBMITTED: October 19, 1959

Card 2/2

KRUKOVSKAYA, Z.G.

Work practices of the Chernovtsy bakery. Khleb.i kond.prom.
6 no.6:32-33 Je '62. (MIRA 15:7)

1. Chernovitskiy khlebokombinat.
(Chernovtay--Bakers and bakeries)

KRUROVSKIS, E. V.

SOV/77A-2-1578

23(a) 23 (5)

AUTHOR: Lyalkov, I.S.

TITLE: Successes of Soviet Electrophotography (Uspechi sovetskoj elektrofotoografii) A Scientific and Technical Conference on Questions of Electrography (Nauchno-tekhnicheskaya konferentsiya po voprosam elektrografii).

PERIODICAL: Churnal nauchnyj i prakticheskij elektrografii i mikrofotografii. 1959, Vol. 4, No. 2, pp. 149-152 (USSR)

ABSTRACT: This is an account of a scientific and technical conference on electrography, the first to be held in the Soviet Union and evidently in the world. It was organized in Vilnius on December 26-19, 1958 by the Soviet Academy of Sciences, the Lithuanian SSR Council for National Economy, the Central Scientific Research Institute of the Lithuanian SSR, the Gosudarstvennyj Nauchno-tekhnicheskij Komitet Sovetskogo Ministerstva Nauki i Tekhniki, the State Scientific and Technical Committee of Lithuania, the Lithuanian S.S.R. and the Machine-Toolboard Ministry of Elektrografia (Scientific Research Institute of Electrography). The conference, attended by over 500 scientific workers, was opened by the Deputy Chairman of the Council for National Economy of the Lithuanian SSR. In his speech after which the director of the Institute for Electrography, I.I. Zhillevich, reviewed the state of electrography. He also reported on the present state of development of electrography in the USSR and abroad. He stated that research in this field should be carried out along the following lines: a) a search for new photo-sensitive materials with high dark resistance; b) physical research into the internal photoeffect; c) development of photoconductor layers; d) development of the theory of the electrophotographic process. K.J. Lazutkov (speaking also for O.G. Iopova) gave a report in which he described the formation process of electrophotographic layers in SOGUT units. M.Z. Pavlika (speaking also for I.A. Shchelichikov, I.I. Zhdanov, K.N. Karpovich, P.I. Sillius and others) reported on some research on the sensitization of a semiconductor in electrophotographic layers. V.V. Fridkin gave a report on highly sensitive electrophotographic layers and an electrophoto-optic device, and reviewed the formation process of the latent electrophotographic image on the basis of the zonal theory. He also described the design of an electroresistor for determining sensitivity by the polarization period of a charge on the surface of the layer, and the circuit of an electrophoto-optic coupling device. A. Ilyin gave a detailed description of the work done on the sensible and latent development of the latent electrophotographic image in liquid developer.

Case 570

Sov77-4-2-15/18

Successes of Soviet Electrophotography. I. Scientific and Technical Conference on Questions of Electrophotography

I.M. Vlasogradov described some of the features of the cold-type and liquid methods of electrophotographic development. Yu.Ye. Karpelevich devoted his report to the criterion of light sensitivity of the electrophotographic process. After the report, a discussion took place on methods of determining the light sensitivity of electrophotographic layers. M. Chetverikova spoke on the prospects of developing photographic processes using electric and magnetic forces. O.S. Grozav (speaking also for I.I. Zhilovich, A.A. Sushchik, V.A. Gordyeyev, A.J. Pauska and Yu. I. Kaval'yantsev) reported on the development of electrophotographic reproducing equipment. A.V. Pauska (speaking also for I.I. Zhilovich, A.J. Borisovich, E.M. Gal'dvadze and N.I. Rautmushka) reported on the use of electrophotographic methods in recording oscillographs and other recording instruments.

V.F. Yushchuk (speaking also for L.M. Bulan) spoke on the possibility of electrophotographically recording images from electron-beam sources. N.G. Kostylev (speaking also for Z.N. Mat'kevich, F.I. Lopatin, A.I. and N.I. Saliuskaia, M.R. Raymund, I.V. Zhilina and R.I. Montilina) gave a detailed description of laboratory and machine methods of producing photoconductor papers (zinc oxide was used). J. Jukly (speaking also for I.I. Zhilovich, O.V. Grusov, V.I. Gordyeyev, V.Y. Fedotov and T.M. Gerl) described a laboratory and industrial machine for producing photoconductor papers. T.I. Chirkina (speaking also for Ya.L. Ogran) reported on a method of oxidizing electrophotographic materials using an H_2/O_2 bridge. D.I. Khodzhanovich (speaking also for A.I. Gilets and G.S. Tikhonkova) spoke on developing methods for electrophotography and ferromagnetism. I.I. Gerasimov described a reverse laser film. N.G. Kostylev referred to methods of electrophotographing paper made of cellulose acetate, measuring the electrostatic potential of the photoelectric layers, stressing that an oscillating electrode should not be placed above a layer with a negative potential, as this causes self-discharge. G.I. Arakov (speaking also for R.J. Gorovoy, A.G. Popov and V.P. Shcherbe) spoke on the practice of producing veterans papers in an electrostatic field, and showed samples produced by the Ural'skaya Paper Factory. Ye.I. Kefirovsky then gave a historical review of the development of electrophotographic methods in which he paid tribute to the work of the Scientific Research Institute of Electrophotography in Vil'nia and the Institut Poligraficheskogo Mashinostroyeniya (Institute of Polygraphic Manufacturing) in Moscow. Debates were then held.

Card 6/10

methods of measuring the direction of charged electrostatic charges. In addition, he noted that the meter always was given 10 percent error. He believed the bidirectional accurate digital skin or diaphragm of the oscillating electrode can be calibrated if the electrode probe above its surface is fixed and up is connected to it by a shielded cable. In the debate on field, Kirovsky's report was argued that the research of Academician A.I. Gerasimov and V.A. Patoyko should be considered as the basis of all work on electrophotographic papers etc., as they serve as the first to show the possibility of optical sensitization of the internal photoeffector in the photoresistor than gave a report on the deposition of charges by a corona discharge in E. I. Kondratenko's results reported some of the first uses of the use of electrophotographic methods in radiology [L. S. Vaynshteyn, L. M. Vaynshteyn, V. S. Vaynshteyn, and Yu. V. Vaynshteyn and Yu. Vaynshteyn] reported on radiation processes in semiconductor layers, used in vibration photosensor. Yu. Vaynshteyn gave a report on research on some physical properties of the polycrystalline layers of selenium cadmium. N.P. Mikhalkovich spoke on some of the photoelectric properties of Cd₂S₃ and Sp₂S₃; the absorption maximum of the latter is about 900 m⁻¹. A.M. Sezenov reported on methods of obtaining selenium light-sensitive layers, including stabilization and thermal treatment. It was also found that the sensitivity of the layer increased after storage for 1.5 to 2 months at room temperature. Prof. Podolskikh (speaking also for S.J. Gorodishchik) spoke on the electrical properties of ultrathin photoelectrochemical layers of amorphous selenium and pentoxide zinc oxide. S.I. Shil'kov (speaking also for A.I. Gerasimov) discussed the production of selenium layers and some of their properties. Finally, the following reports on ferromagnetography were delivered: 1) Yu. I. Kuznetsov, V.N. Zhigulin, Electrodeposition of Transition Metal Alloys with Given Magnetic Characteristics; 2) V. V. Tsvetkov, Visualisation of Magnetic Circular Images by the Ferromagnetic Method; 3) V. S. Panteleev, Ferromagnetic Recording of Faseable Images; 4) V. V. Chirkov, A. A. Reznichenko, V. V. Tsvetkov, The Possibility of Using Ferromagnetic Materials in Non-destructive Testing. The conference also included the work of the Institute of Ferrous Metallurgy.

The conference was held a solid approach had been made to the possibility of using ferromagnetic materials in this field externally started only in 1959-60 in the U.S. in 10 years. One ability is easier to reproduce results already achieved than to be the first to arrive at them, the conference observed that the Americans took good care that no important information appeared in the literature available.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKOVSKIY, B.V.

✓ Kruskovskii (Krukovskii-Sauer), B. V. On the relation
between some formulas of the differential and

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KHUKOVSKIY, B.V. (Krukovskiy-Sinevich, B.V.), prof.

Some remarks on the multiplication theorem of infinite determinants
and matrices. Trudy Kiev. avt.-dor. inst. no.3:168-176 '57.
(Matrices) (MIRA 11:5)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKOVSKIY, E.I.

Using wood plastics in the machinery industry. Mashinostroitel'
(MIRA 19:1)
no. 1:40-42 Ja '66

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

135-58-8-18/20

AUTHOR: Krukovskiy, I. V., Head of the Training-Course Section

TITLE: Raising the Qualifications of Workers in Gas-Flame Metal Treatment (Povysheniye kvalifikatsii rabotnikov po gazo-plamennyye obrabotke metallov)

PERIODICAL: Svarochnoye proizvodstvo, 1958, Nr 8, p 46 (USSR)

ABSTRACT: Data is given on short-term training courses (of 10 to 20 days) in new methods of gas-flame metal working organized by VNIIAvtogen for qualified workers, brigade leaders masters and technologists. The courses are held in Moscow.

ASSOCIATION: VNIIAvtogen

1. Welders--Qualifications

Card 1/1

GUL', Sergey Mikhaylovich; KAMENEV, Nikolay Pavlovich; KOPYLOV, Boris Mikhaylovich; KRUKOVSKIY, Ignatiy Vladislavovich; NEDOSEKIN, Dmitriy Fedorovich; SEMERIKOV, Ivan Vasil'yevich; BARINOV, V.A., prof., doktor, retsenzent; KHRENOV, L.S., prof., doktor, retsenzent; KRASNOSECHKEKOV, A.M., prepodavatel', retsenzent; POLUNICHEV, I.A., red. izd-va; BACHURINA, A.M., tekhn. red.

[Laboratory manual of geodesy] Rukovodstvo dlja prakticheskikh zaniatii po geodezii. Moskva, Goslesbumizdat, 1960. 266 p. (MIRA 14:7)

1. Moskovskiy lesotekhnicheskiy institut (for Barinov). 2. Moskovskiy institut inzhenerov vodnogo khozyaystva imeni Ye.R.Vil'yamsa (for Khrenov). 3. TSentral'nyy zaochnyy lesotekhnicheskiy tekhnikum (for Krasnosechekov)

(Surveying—Handbooks, manuals, etc.)

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

CHEKAYDA, S.G., kand. tekhn. nauk; TRACHUK, S.V., inzh.; BOLDAK', B.P.,
inzh.; KRUKOVSKIY, L.N., inzh.

Photoelectric level regulators. Khim. mashinostr. no. 1:136-139
'65. (MIRA 18:9)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

TAGUNTSEV, Sergey Dmitriyevich; KRUKOVSKIY, M.N., retsenzent; KRISEHTAL',
L.I., red.; MEDVEDEVA, M.A., tekhn. red.

[Potentialities of material savings in railroad transportation]
Rezervy ekonomii materialov na zhelezodorozhnom transporte. Mo-
skva, Vses. izdatel'sko-poligr. ob'edinenie M-va putei soobshchenia,
(MIRA 14:11)
1961. 39 p.
(Railroads—Management)

KRUKOVSKII, M. Ia.

Krukovskii, M. Ia. (Principles of operation of hydrotechnical installations in the hydroelectric stations.) Printsipy eksploatatsii hidrotehnicheskikh sooruzhenii hidroelektrostantsii Leningrad, Gos. Energ. izd-vo, 1951, 133 p.

Available: Library of Congress

Source: Monthly List of Russian Acquisitions, Vol. 5, No. 1. Page 15

MOZHEVITINOV, A.L.; KRUKOVSKIY, M.Ya., redaktor; ZAERODINA, A.A., tekhnicheskiy redaktor; VORONIN, K.P., tekhnicheskiy redaktor.

[Hydroelectric plant spillways and discharge pipes] Vodosbrosy i vodospuski gidroelektricheskikh stantsii. Moskva, Gos. energ. izd-vo, 1953. 70 p. (V pomoshch' gidroenergeticheskim stroikam, no. 19) (Hydroelectric power stations) (Spillways) (MIRA 7:9)

BIBIKOV, D.N., redaktor; KHUKOVSKIY, M.Ya., redaktor; ZABRODINA, A.A.,
tekhnicheskiy redaktor.

[Floating ice and water temperature problems in water power engi-
neering; collection of articles] Ledotermicheskie voprosy v gidro-
energetike; sbornik statei. Moskva, Gos. energ. izd-vo, 1954. 264 p.
(MLRA 7:12)

(Hydroelectric power stations) (Ice on rivers, lakes, etc.)
(Rivers--Temperature)

BOROVAY, A.A., red.; VASIL'YEV, P.I., red.; GIRSHKAN, I.A., red.; IORISH,
Ye.L., red.; KHUKOVSKIY, M.Ya., red.; SAMOSTRALOV, P.V., red.;
ZABRODINA, A.A., tekhn. red.

[Designing and building large dams; from papers of the Fifth
International Congress on Large Dams] Proektirovanie i stro-
itel'stvo bol'sikh plotin; po materialam V Mezhdunarodnogo
kongressa po bol'shim plotinam. Moskva, Gos. energ. izd-vo,
1958. 414 p. (MIRA 11:10)

(Dams)

EYDEL'MAN, Solomon Yakovlevich; NILENDER, Yu.A., prof., doktor tekhn.
nauk, rezensent; KRUKOVSKIY, M.Ya., red.; ZHITNIKOVA, O.S.,
tekhn.red.

[Actual testing of concrete hydraulic structures] Naturnye
issledovaniia betonnykh gidrotekhnicheskikh sooruzhenii.
Moskva, Gos.energ.iad-vo, 1960. 209 p. (MIRA 13:7)
(Hydraulic structures--Testing)

SYROYEZHIN, Mikhail Ivanovich; KRUKOVSKIY, M.Ya., red.; SOBOLEVA, Ye.M.,
tekhn. red.

[Designing, building, and operating the buildings of hydroelectric
power stations] Iz opyta proektirovaniia, stroitel'stva i eksplu-
atatsii zdanii gidroelektrostantsii. Moskva, Gos.energ.izd-vo, 1961.
119 p. (MIRA 14:12)

(Hydroelectric power stations)

ADAMOVICH, Aleksey Nikolayevich; KOLTUROV, Dmitriy Vasil'yevich;
KRUKOVSKIY, M.Ya., nauchn. red.; VNTS, V.M., red.

[Cementing foundations of hydraulic structures] T3ementa-
tsiya osnovaniii gidrokonstrukzhenii. Izd.2., dop. Moskva,
Izd-vo "Energiia," 1964. 513 p. (MIRA 18:1)

KROKOVSKIY, M.Ya., red.

[Instructions on the design of the ash removal systems of thermal electric power plants] Ukaraniia po proektirovaniu zolotvalov teplovых elektricheskikh stantsii. Moskva, Gosenergoizdat, 1964. 78 p. (MIRA 18:5)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy proizvodstvennyy komitet po energetike i elektrifikatsii.

KRUKOVSKIY, N. Ya.

Forest Manu., sent

Plan must be divorced from production needs, L.S. Koz. 6, No. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, May 1953. Unclassified.

"APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7

KRUKOVSKIY, P.

Quality again and again! Sov.torg. 35 no.2:6-8 F '62. (MIRA 15:1)
(Textile industry--Standards)

APPROVED FOR RELEASE: 06/19/2000

CIA-RDP86-00513R000826720009-7"

MOSHCHINSKY, N.K.; BOYDEN, B.S.; KRUKOVSKIY, S.P.; LAKHMANCHUK, L.S.;
MOLOSOVA, V.P.; CHERTOK, Ye.H.

Synthesis of starting materials for the production of poly-
condensation resins. Izv.vys.ucheb.zav.; khim.i khim.tekh. 2
no.5:790-796 '59. (MIRA 13:8)

1. Dnepropetrovskiy khimiko-tehnologicheskiy institut.
(Phenol condensation products)
(Chemistry, Organic--Synthesis)

S/190/62/004/011/002/014
B119/B186

AUTHORS: Korshak, V. V., Mozgova, K. K., Kruckovskiy, S. P.

TITLE: Synthesis of graft copolymers. X. Grafting of styrene onto polyethylene terephthalate (Lavsan)

PERIODICAL: Vysokomolekulyarnyye soyedineniya, v. 4, no. 11, 1962,
1625 - 1630

TEXT: Lavsan films of about 30μ thickness were copolymerized with styrene at 80°C after activation by heating in air at 100°C . The co-polymer yield depends on the activation time of the Lavsan films; it shows a large maximum after 3 min heating, and a smaller maximum after 15 min. The copolymer yield increases with the duration of the co-polymerization reaction; a film activated for 3 min absorbs about 70% of its weight of styrene after an 8-hr reaction. About 5% of the styrene quantity used is homopolymerized. The intrinsic viscosity of solutions of grafted films in tricresol increases with the amount of styrene absorbed, reaching a maximum of 1.569 when the content of grafted styrene in relation to the weight of the film used is 106.7%. With growing

Card 1/2

S/190/62/004/011/002/014
B119/B186

Synthesis of graft copolymers...

polystyrene content in the copolymer the tensile strength of films decreases, and their relative ductility increases. The grafted films (like pure Lavsan) have a melting temperature of 240 - 242°C. Lavsan films containing 50 - 100% polystyrene undergo only swelling in cold concentrated H_2SO_4 , and are not destroyed by boiling 40% KOH even after 100 hrs. There are 6 figures and 2 tables.

ASSOCIATION: Institut elementoorganicheskikh soyedineniy AN SSSR (Institute of Elemental Organic Compounds AS USSR)

SUBMITTED: June 2, 1961

Card 2/2